

计算概论A—实验班

函数式程序设计

Functional Programming

胡振江，张 伟

北京大学 计算机学院

2023年09~12月

第6章：递归函数

Recursive Function

Function

- ✿ As we have seen, many functions can naturally be defined in terms of other functions.

```
fac :: Int -> Int
fac n = product [1..n]
```

```
fac 4
=
product [1..4]
=
product [1,2,3,4]
=
1*2*3*4
=
24
```

Recursive Function / 递归函数

In Haskell, functions can also be defined in terms of themselves. Such functions are called **recursive**.

```
fac :: Int -> Int
fac 0 = 1
fac n = n * fac (n-1)
```

```
ghci> fac (-1)
*** Exception: stack overflow
```

```
fac 3
=
3 * fac 2
=
3 * (2 * fac 1)
=
3 * (2 * (1 * fac 0))
=
3 * (2 * (1 * 1))
=
3 * (2 * 1)
=
3 * 2
=
6
```

Why Recursive Function

- * Some functions, such as factorial, are simpler to define in terms of other functions.
- * As we shall see, however, many functions can **naturally be defined** in terms of themselves.
- * Properties of functions defined using recursion **can be proved** using the simple but powerful mathematical technique of **induction**.

Recursive Function on List

* Recursion is not restricted to numbers, but can also be used to define functions on lists.

```
product :: Num a => [a] -> a
product [] = 1
product (n:ns) = n * product ns
```

```
product [2,3,4]
=
2 * product [3,4]
=
2 * (3 * product [4])
=
2 * (3 * (4 * product []))
=
2 * (3 * (4 * 1))
=
24
```

Recursive Function on List

* Using the same pattern of recursion as in product we can define the **length** function on lists.

```
length' :: [a] -> Int
length' [] = 0
length' (_:xs) = 1 + length' xs
```

```
length [1,2,3]
=
1 + length [2,3]
=
1 + (1 + length [3])
=
1 + (1 + (1 + length []))
=
1 + (1 + (1 + 0))
=
3
```

Recursive Function on List

* Using a similar pattern of recursion we can define the reverse function on lists.

```
reverse :: [a] -> [a]
reverse [] = []
reverse (x:xs) = reverse xs ++ [x]
```

```
rev [1,2,3]
=
rev [2,3] ++ [1]
=
(rev [3] ++ [2]) ++ [1]
=
((rev [] ++ [3]) ++ [2]) ++ [1]
=
(([] ++ [3]) ++ [2]) ++ [1]
=
[3,2,1]
```


课堂练习

❖ 给出下面程序中的insert的类型和定义，完成“插入排序”算法的定义

```
isort :: Ord a => [a] -> [a]
isort [] = []
isort (x:xs) = insert x (isort xs)
```

```
insert :: Ord a => a -> [a] -> [a]
insert x [] = [x]
insert x (y:ys) | x <= y = x:y:ys
                | otherwise = y:(insert x ys)
```

多参数递归

- * Functions with more than one argument can also be defined using recursion.

Zipping the elements of two lists

```
zip :: [a] -> [b] -> [(a,b)]
```

```
zip [] _ = []
```

```
zip _ [] = []
```

```
zip (x:xs) (y:ys) = (x,y) : zip xs ys
```

多参数递归

Remove the first n elements from a list

```
drop :: Int -> [a] -> [a]
drop 0 xs      = xs
drop _ []     = []
drop n (_:xs) = drop (n-1) xs
```

Appending two lists

```
(++) :: [a] -> [a] -> [a]
[]    ++ ys = ys
(x:xs) ++ ys = x : (xs ++ ys)
```

Multiple Recursion

Functions can also be defined using multiple recursion, in which a function is applied more than once in its own definition.

```
fib :: Int -> Int
fib 0 = 0
fib 1 = 1
fib n = fib (n-2) + fib (n-1)
```

Multiple Recursion

```
qsort :: Ord a => [a] -> [a]
qsort [] = []
qsort (x:xs) = qsort smaller ++ [x] ++ qsort larger
  where
    smaller = [a | a <- xs, a <= x]
    larger  = [b | b <- xs, b > x]
```

Multiple Recursion

qsort [3,2,4,1,5]



qsort [2,1]

++ [3] ++

qsort [4,5]



qsort [1]

++ [2] ++

qsort []

qsort []

++ [4] ++

qsort [5]

[1]

[]

[]

[5]

Mutual Recursion

Functions can also be defined using mutual recursion, in which two or more functions are all defined recursively in terms of each other.

```
even :: Int -> Bool
even 0 = True
even n = odd (n-1)
```

```
odd :: Int -> Bool
odd 0 = False
odd n = even (n-1)
```

第6章：递归函数

Recursive Function

作业

作业

6-1 Without looking at the standard prelude, define the following library functions using recursion:

Decide if all logical values in a list are true

```
and :: [Bool] -> Bool
```

Concatenate a list of lists

```
concat :: [[a]] -> [a]
```

Select the nth element of a list (starting from 0)

```
(!!) :: [a] -> Int -> a
```

Produce a list with n identical elements

```
replicate :: Int -> a -> [a]
```

Decide if a value is an element of a list

```
elem :: Eq a => a -> [a] -> Bool
```

作业

6-2 Define a recursive function

```
merge :: Ord a => [a] -> [a] -> [a]
```

that merges two sorted lists of values to give a single sorted list. For example:

```
ghci> merge [2,5,6] [1,3,4]  
[1,2,3,4,5,6]
```

作业

6-2 Define a recursive function

```
mSort :: Ord a => [a] -> [a]
```

that implements merge sort, which can be specified by the following two rules:

- A. Lists of length ≤ 1 are already sorted;
- B. Other lists can be sorted by sorting the two halves and merging the resulting lists.

第6章：递归函数

Recursive Function

就到这里吧